

BEI | lighting
lighting from the ground up



URBAN720 - 360 POST TOP

URBAN721- 360 POST TOP C/W PHOTOCELL

LED Street Lights



Introducing BEI URBAN720/721 LED, a perfect blend of performance and style.


BEI Lighting
Wyndham Close
Brackla Industrial Estate
Bridgend CF31 2AN

Tel: 01656 645414
Email: sales@beilighting.com
www.beilighting.com



Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI:Ra	Energy Efficiency	Class
URBAN720	40W/60W 3CCT 360 POST TOP	40W	2700K	4080lm	>75	E	I
			3500K	4380lm			
			4000K	4360lm			
		60W	2700K	5755lm			
			3500K	6200lm			
			4000K	6095lm			
URBAN721	40W/60W 3CCT 360 POST TOP C/W PHOTOCELL	40W	2700K	4080lm	>75	E	I
			3500K	4380lm			
			4000K	4360lm			
		60W	2700K	5755lm			
			3500K	6200lm			
			4000K	6095lm			





Key features

Versatile Options: Available in both standard and photocell versions, with selectable wattage (40W or 60W) to suit your needs

Customisable Lighting: 3CCT technology for flexible colour temperature options, allowing you to tailor the lighting to your specific requirements.

- 5 year warranty
- Class I
- IP65
- IK08
- Selectable Wattages 40W or 60W LED
- Selectable Colour Temperatures 2700K, 3500K or 4000K
- Up to 6095 Lumens
- 128 Deg Beam Angle
- To fit a 76mm Diameter Pole & 90mm Depth
- DALI Versions available
- Supplied with 500mm Cable
- Cast Aluminium
- Anthracite Finish
- L70 – 50,000hrs